

Black Glass Door Merchandiser Series Refrigerators

KRV Series

Durable Design

- - Modern & attractive appearance for any kitchen, C-Store, service station, etc.
- - Black exterior baked enamel steel finish
- - White interior baked enamel steel finish
- - Interior base in stainless steel finish
- - Heavy-duty polyethylene coated adjustable wire shelves
- - Locking glass doors are ergonomically designed and self-closing with easy grab handles
- - Plastic upper sign panel with lamp

Energy Efficient

- - Entire cabinet structure engineered to the high-est standards
- - Built using foamed-in place high density CFC-free polyurethane insulation
- - Unique triple pane heated glass doors with a layer of patented, transparent thermal insulating film applied between the glass layers
- - CFC-free refrigerant with R290a gas
- - Magnetic door gaskets of one piece, providing a tight and efficient seal
- - UL Approved and conforms to NSF 7 standards.

Superior Quality

- - Positive air flow throughout with forced air movement throughout entire cabinet
- - Freezers hold 0,5-5°F. for optimum storage & preservation of foods
- - High efficiency evaporators with oversized condensing units on all models
- - Digital temperature readout display with electronic thermostatic control
- - LED interior lighting for total product display



Black Glass Door Merchandiser Series Refrigerators



KRV-22



KRV-23



KRV-28



KRV-45



KRV-53 / KRV-53P

*




KRV-79


* Modèles KRV-53 et KRV-53-P sont de la même largeur, 53 pouces, mais la profondeur est différente, 27,6 pouces pour le KRV-53 et 31,5 pouces pour le KRV-53-P, le P signifie Profond.

KRV Series


Black Glass Door Merchandiser Series Refrigerators




KRV-22




KRV-23




KRV-28



KRV-45



KRV-53 / KRV-53P



KRV-79

MODEL NUMBER	NUMBER AND TYPE OF DOOR	EXTERNAL DIMENSIONS L x P x H	INTERNAL DIMENSIONS L x P x H	STORAGE (pi.cu)	# OF TABLETS	COMPRESSOR SIZE(HP)	Amps	WEIGHT (lbs)	SHIPPING DIMENSIONS L x P x H
KRV-22	1 (swinging)	21.4"x25.4"x35.4"	18.3"x22.4"x29.5"	7	2	1/4	1.7	125	23.2"x27.1"x38.9"
KRV-23	1 (swinging)	22.7"x23.8"x78"	19.1"x16.9"x62.2"	13	5	2/3	2.3	176	24.8"x24.6"x80.1"
KRV-28	1 (swinging)	27.6"x31.1"x80.9"	23.7"x24.2"x62.8"	23	5	2/3	2.8	269	29.3"x32.5"x83.7"
KRV-45	2 (sliding)	44.5"x27.6"x79.5"	35.6"x19.8"x61.5"	36	8	1	6.2	386	46.5"x29.5"x82.7"
KRV-53	2 (sliding)	52.3"x27.6"x79.5"	48.2"x19.8"x61.5"	42	8	1	6.2	430	54.3"x29.5"x82.7"
KRV-53-P	2 (sliding)	52.4"x31.5"x79.5"	48.2"x23.7"x61.5"	50	8	1	6.2	463	54.3"x33.5"x82.7"
KRV-79	3 (swinging)	78.2"x32.3"x81"	74.3"x25.4"x62.2"	75	15	1	6.8	580	80.1"x34.3"x84"



115V / 60 Hz / 1
NEMA 5 – 15P
INDEPENDENT CIRCUIT



450-641-2577
1-800-387-2577
info@distomatic.com

1341-A Newton, Boucherville, QC, Canada J4B 5H2

•2-year warranty on parts, labor and moving under certain conditions and an additional 3 years on compressor (parts only).